



ประกาศกระทรวงเกษตรและสหกรณ์
เรื่อง กำหนดศัตรูพืชเป็นสิ่งต้องห้ามตามพระราชบัญญัติกักพืช พ.ศ. ๒๕๐๓
(ฉบับที่ ๖) พ.ศ. ๒๕๕๐

อาศัยอำนาจตามความในมาตรา ๖ แห่งพระราชบัญญัติกักพืช พ.ศ. ๒๕๐๓ ซึ่งแก้ไขเพิ่มเติมโดยพระราชบัญญัติกักพืช (ฉบับที่ ๒) พ.ศ. ๒๕๔๒ รัฐมนตรีว่าการกระทรวงเกษตรและสหกรณ์ โดยคำแนะนำของคณะกรรมการกักพืชออกประกาศไว้ ดังต่อไปนี้

ข้อ ๑ ให้ยกเลิก ประกาศกระทรวงเกษตรและสหกรณ์ เรื่อง กำหนดศัตรูพืชเป็นสิ่งต้องห้ามตามพระราชบัญญัติกักพืช พ.ศ. ๒๕๐๓ (ฉบับที่ ๓) พ.ศ. ๒๕๔๖ ลงวันที่ ๑๔ ตุลาคม พ.ศ. ๒๕๔๖

ข้อ ๒ ให้ศัตรูพืชจากทุกแหล่งตามท้ายประกาศนี้เป็น สิ่งต้องห้าม เนื่องจากเป็นศัตรูพืช กักกัน

ประกาศฉบับนี้ให้ใช้บังคับเมื่อพ้นกำหนด ๖๐ วัน นับแต่วันประกาศในราชกิจจานุเบกษาเป็นต้นไป

ประกาศ ณ วันที่ ๒๖ เมษายน พ.ศ. ๒๕๕๐

ธีระ สูตะบุตร

(ศาสตราจารย์ ธีระ สูตะบุตร)

รัฐมนตรีว่าการกระทรวงเกษตรและสหกรณ์

รายชื่อศัตรูพืชแนบท้ายประกาศกระทรวงเกษตรและสหกรณ์
เรื่อง กำหนดศัตรูพืชเป็นสิ่งต้องห้าม
ตามพระราชบัญญัติกักพืช พ.ศ. ๒๕๐๓ (ฉบับที่ ๖) พ.ศ. ๒๕๕๐

เชื้อรา (Fungi)

๑. *Ascochyta gossypii* (Woronichin) Syd.
๒. *Asperisporium caricae* (Speg.) Maubl.
๓. *Balansia oryzae-sativae* Hashioka
๔. *Botryotinia allii* (Sawada) W.Yamam
๕. *Botryotinia fuckeliana* (de Bary) Whetzel
๖. *Botryotinia porri* (J.F.H. Beyma) Whetzel
๗. *Botrytis aclada* Fresen.
๘. *Cephalosporium maydis* Samra, Sabet & Hingorani
๙. *Cercospora elaeidis* Steyaert
๑๐. *Cercospora zae-maydis* Tehon & E.Y. Daniels
๑๑. *Chalara elegans* Nag Raj & W.B. Kendr.
๑๒. *Claviceps gigantea* S.F. Fuentes, Isla, Ullstrup & Rodriguez
๑๓. *Claviceps purpurea* (Fr.) Tul.
๑๔. *Claviceps sorghi* B.G.P. Kulk., Seshadri & Hegde
๑๕. *Colletotrichum circinans* (Berk.) Voglino
๑๖. *Colletotrichum kahawae* J.M. Waller & Bridge
๑๗. *Crinipellis perniciosus* (Stahel) Singer
๑๘. *Diaporthe phaseolorum* var. *meridionalis* F.A. Fern.
๑๙. *Diaporthe vexans* Gratz
๒๐. *Elsinoe australis* Bitancourt & Jenkins
๒๑. *Elsinoe theae* Bitancourt & Jenkins
๒๒. *Fusarium graminearum* Schwabe
๒๓. *Fusarium oxysporum* f.sp. *elaedis* Toovey

- ൧൨. *Gibberella xylarioides* R. Heim & Saccas
- ൧൩. *Guignardia camelliae* (Cooke) E.J. Butler
- ൧൪. *Haplobasidion musae* M.B. Ellis
- ൧൫. *Helminthosporium allii* Campanile
- ൧൬. *Microcyclus ulei* (Henn.) Arx
- ൧൭. *Moniliophthora roreri* (Cif.) H.C. Evans et al.
- ൧൮. *Mycena citricolor* (Berk. & M.A. Curtis) Sacc.
- ൧൯. *Mycosphaerella citri* Whiteside
- ൨൦. *Nectria rigidiuscula* Berk. & Broome
- ൨൧. *Phaeoramularia angolensis* (T. Carvalho & O. Mendes) P.M. Kirk
- ൨൨. *Phakopsora jatrophiicola* (Arthur) Cummins
- ൨൩. *Phellinus noxius* (Corner) G. Cunn.
- ൨൪. *Phoma foveata* Foister
- ൨൫. *Phoma theiocola* Petch
- ൨൬. *Phoma tracheiphila* (Petri) Kantachveli & Gikachvili
- ൨൭. *Phomopsis longicolla* Hobbs
- ൨൮. *Phymatotrichopsis omnivora* (Duggar) Hennebert
- ൨൯. *Phytophthora boehmeriae* Sawada
- ൩൦. *Phytophthora capsici* Leonian
- ൩൧. *Phytophthora citricola* Sawada
- ൩൨. *Phytophthora cryptogea* Pethybr. & Laff.
- ൩൩. *Phytophthora hibernalis* Carne
- ൩൪. *Phytophthora katsurae* W.H. Ko & H.S. Chang
- ൩൫. *Phytophthora megakarya* Brasier & M.J. Griffin
- ൩൬. *Phytophthora megasperma* Drechsler
- ൩൭. *Phytophthora porri* Foister
- ൩൮. *Plasmodiophora brassicae* Woronin
- ൩൯. *Pseudocercospora jatrophae* (G.F. Atk.) A.K. Das & Chattopadh.
- ൪൦. *Pyricularia setariae* Y. Nisik.
- ൪൧. *Rosellinia bunodes* (Berk. & Broome) Sacc.

- ๕๔. *Rosellinia pepo* Pat.
- ๕๕. *Sclerospora graminicola* (Sacc.) J. Schrot.
- ๕๖. *Sclerophthora macrospora* (Sacc.) Thirum., C.G. Shaw & Naras
- ๕๗. *Sclerotium cepivorum* Berk.
- ๕๘. *Septoria limonum* Pass.
- ๕๙. *Sphaceloma manihoticola* Bitanc.& Jenkins
- ๖๐. *Sphacelotheca cruenta* (J.G. Kühn) A.A. Potter.
- ๖๑. *Sphacelotheca reiliana* (J.G. Kühn) Clinton
- ๖๒. *Stenocarpella macrospora* (Earle) B.Sutton
- ๖๓. *Synchytrium endobioticum* (Schilb.) Percival
- ๖๔. *Spongospora subterranea* f.sp. *subterranea* J.A. Toml.
- ๖๕. *Thecaphora solani* (Thirum & M.J. O'Brien) Mordue
- ๖๖. *Uromyces musae* Henn.
- ๖๗. *Verticillium albo-atrum* Reinke & Berthold
- ๖๘. *Verticillium dahliae* Kleb.

แบคทีเรีย (Bacteria)

- ๖๙. *Candidatus Liberibacter africanus* (Jagoueix et al.)
- ๗๐. *Candidatus Liberibacter americanus* (Teixeira et al.)
- ๗๑. *Clavibacter michiganensis* subsp. *michiganensis* (Smith) Davis et al.
- ๗๒. *Clavibacter michiganensis* subsp. *nebraskensis* (Vidaver & Mandel) Davis et al.
- ๗๓. *Clavibacter michiganensis* subsp. *sepedonicum* (Spieckermann & Kotthoff) Davis et al.
- ๗๔. *Erwinia amylovora* (Burrill) Winslow et al.
- ๗๕. *Pantoea agglomerans* (Beijerinck) Gavini et al.
- ๗๖. *Pantoea ananatis* Corring (Serrano) Mergaert et al.
- ๗๗. *Pantoea citrea* Kageyama et al.
- ๗๘. *Pseudomonas cichorii* (Swingle) Stapp.
- ๗๙. *Pseudomonas corrugata* (ex Scarlett et al.) Roberts & Scarlett
- ๘๐. *Pseudomonas fuscovaginae* (ex Tanii et al.) Miyajima et al.

๘๑. *Pseudomonas glumae* Kurita & Tabei
๘๒. *Pseudomonas rubrisubalbicans* (Christopher & Edgerton) Krasil'nikov
๘๓. *Pseudomonas syringae* pv. *lachrymans* (Smith & Bryan) Young et al.
๘๔. *Pseudomonas syringae* pv. *maculicola* (McCulloch) Young et al.
๘๕. *Pseudomonas syringae* pv. *tomato* (Okabe) Young, Dye & Wilkie
๘๖. *Pseudomonas syringae* pv. *theae* (Hori) Young et al.
๘๗. *Pseudomonas viridiflava* (Burkholder) Dowson
๘๘. *Xanthomonas arboricola* pv. *celebensis* (Gaumann) Vauterin et al.
๘๙. *Xanthomonas axonopodis* pv. *citrumelo* (Gabriel et al.) Vauterin et al.
๙๐. *Xanthomonas axonopodis* pv. *vasculorum* (Cobb) Vauterin et al.
๙๑. *Xanthomonas campestris* pv. *armoraciae* (McCulloch) Dye
๙๒. *Xanthomonas campestris* pv. *cassavae* (Wiehe & Dowson)
Maraite & Weyns
๙๓. *Xanthomonas campestris* pv. *theicola* Uehara, Arai, Nonaka & Sano
๙๔. *Xanthomonas cucurbitae* (Bryan) Vauterin et al.
๙๕. *Xylella fastidiosa* Wells et al.

โปรโตซัว (Protozoa)

๙๖. *Nosema bombycis* Negali
๙๗. *Phytophthora staheli* McGhee & McGhee

ไวรัส (Virus)

๙๘. *African cassava mosaic virus*
๙๙. *African cotton mosaic virus*
๑๐๐. *Alfalfa mosaic virus*
๑๐๑. *Andean potato latent virus*
๑๐๒. *Andean potato mottle virus*
๑๐๓. *Banana bract mosaic virus*
๑๐๔. *Barley stripe mosaic virus*
๑๐๕. *Cassava American latent virus*
๑๐๖. *Cassava brown streak virus*

- 000. *Cassava common mosaic virus*
- 001. *Cassava green mottle virus*
- 002. *Cassava Ivorian bacilliform virus*
- 003. *Cassava vein mosaic virus*
- 004. *Cassava virus X*
- 005. *Citrus leaf rugose virus*
- 006. *Citrus leprosis virus*
- 007. *Citrus ringspot virus (=Citrus psorosis virus complex A,B)*
- 008. *Citrus rubbery wood virus*
- 009. *Citrus tatter leaf virus*
- 010. *Citrus variegation virus*
- 011. *Citrus vein enation virus*
- 012. *Cacao red mottle virus*
- 013. *Cacao swollen shoot virus*
- 014. *Cacao vein-clearing virus*
- 015. *Cacao yellow mosaic virus*
- 016. *Cacao yellow vein banding virus*
- 017. *Cocoa necrosis virus*
- 018. *Coconut foliar decay virus*
- 019. *Coconut wilt disease*
- 020. *Coffee ringspot virus*
- 021. *Cotton anthocyanosis virus*
- 022. *Cotton leaf crumple virus*
- 023. *Cotton leaf mosaic virus*
- 024. *Cotton leaf mottle virus*
- 025. *Cotton stenosis virus*
- 026. *Cotton terminal stunt virus*
- 027. *Cowpea mild mottle virus*
- 028. *Cucumber green mottle mosaic virus*
- 029. *East African cassava mosaic virus*

- ൯൯. *High plains virus*
- ൯൯. *Indian cassava mosaic virus*
- ൯൯. *Lettuce necrotic yellow virus*
- ൯൯. *Maize rayado fino virus*
- ൯൯. *Maize chlorotic dwarf virus*
- ൯൯. *Maize dwarf mosaic virus A*
- ൯൯. *Maize mosaic virus*
- ൯൯. *Papaya leaf curl virus*
- ൯൯. *Papaya mosaic virus*
- ൯൯. *Papaya waialua virus*
- ൯൯. *Potato black ringspot virus*
- ൯൯. *Potato deforming mosaic virus*
- ൯൯. *Potato mop-top virus*
- ൯൯. *Potato yellow dwarf virus*
- ൯൯. *Potato yellow virus*
- ൯൯. *Potato yellow vein virus*
- ൯൯. *Rice dwarf virus*
- ൯൯. *Rice hoja blanca virus*
- ൯൯. *Rice stripe virus*
- ൯൯. *Rice yellow mottle virus*
- ൯൯. *Satsuma dwarf virus*
- ൯൯. *Sorghum mosaic virus*
- ൯൯. *Squash mosaic virus*
- ൯൯. *Sugarcane bacilliform virus*
- ൯൯. *Sugarcane streak virus*
- ൯൯. *Tobacco rattle virus*
- ൯൯. *Tobacco streak virus*
- ൯൯. *Tomato aspermy virus*
- ൯൯. *Tomato black ring virus*
- ൯൯. *Tomato bushy stunt virus*

- ๑๖๗. *Tomato ringspot virus*
- ๑๖๘. *Tomato spotted wilt virus*

ริคเก็ตเซีย (*Rickettsia*)

- ๑๖๙. *Papaya bunchy top (Rickettsia sp.)* (Davis et al.)

ไวรอยด์ (*Viroid*)

- ๑๗๐. *Avocado sunblotch viroid*
- ๑๗๑. *Chrysanthemum chlorotic mottle viroid*
- ๑๗๒. *Chrysanthemum stunt viroid*
- ๑๗๓. *Citrus cachexia viroid*
- ๑๗๔. *Citrus exocortis viroid*
- ๑๗๕. *Coconut cadang-cadang viroid*
- ๑๗๖. *Coconut tinangaja viroid*
- ๑๗๗. *Columnea latent viroid*
- ๑๗๘. *Hop stunt viroid*
- ๑๗๙. *Mexican papita viroid*
- ๑๘๐. *Peach latent mosaic viroid*
- ๑๘๑. *Potato spindle tuber viroid*
- ๑๘๒. *Tomato apical stunt viroid*
- ๑๘๓. *Tomato chlorotic dwarf viroid*
- ๑๘๔. *Tomato planta macho viroid*

ไมโคพลาสมา (*Mycoplasma*)

- ๑๘๕. *Spiroplasma citri* Saglio et al.
- ๑๘๖. *Spiroplasma kunkelii* Whitcomb et al.

ไฟโตพลาสมา (*Phytoplasma*)

- ๑๘๗. *Banana marbling disease*

- ୧୯୯. *Cassava frog skin phytoplasma*
- ୧୯୯. *Cassava Witches' Broom*
- ୧୯୦. *Coconut lethal yellows phytoplasma*
- ୧୯୧. *Grapevine flavescence doree phytoplasma*
- ୧୯୨. *Lime Witches' Broom*
- ୧୯୩. *Sugarcane Ramu stunt disease phytoplasma*

ମେଘ (Insect)

- ୧୯୪. *Acrobasis pyrivorella* (Matsumura)
- ୧୯୫. *Adoxophyes orana* (Fischer von Röslerstamm)
- ୧୯୬. *Anarsia lineatella* Zeller
- ୧୯୭. *Anastrepha fraterculus* (Wiedemann)
- ୧୯୮. *Anastrepha grandis* (Macquart)
- ୧୯୯. *Anastrepha ludens* (Loew)
- ୨୦୦. *Anastrepha obliqua* (Macquart)
- ୨୦୧. *Anastrepha serpentina* (Wiedemann)
- ୨୦୨. *Anastrepha striata* Schiner
- ୨୦୩. *Anastrepha suspensa* (Loew)
- ୨୦୪. *Anthonomus grandis* Boheman
- ୨୦୫. *Anthonomus vestitus* Boheman
- ୨୦୬. *Bactrocera aquilonis* (May)
- ୨୦୭. *Bactrocera caryae* (Kapoor)
- ୨୦୮. *Bactrocera cucumis* (French)
- ୨୦୯. *Bactrocera frauenfeldi* (Schiner)
- ୨୧୦. *Bactrocera jarvisi* (Tryon)
- ୨୧୧. *Bactrocera kandiensis* Drew & Hancock
- ୨୧୨. *Bactrocera kirki* (Froggatt)
- ୨୧୩. *Bactrocera melanotus* (Coquillett)
- ୨୧୪. *Bactrocera minax* (Enderlein)
- ୨୧୫. *Bactrocera musae* (Tryon)

- ଇ୧୦. *Bactrocera neohumeralis* (Hardy)
 ଇ୧୧. *Bactrocera occipitalis* (Bezzi)
 ଇ୧୨. *Bactrocera passiflorae* (Froggatt)
 ଇ୧୩. *Bactrocera philippinensis* Drew & Hancock
 ଇ୧୪. *Bactrocera psidii* (Froggatt)
 ଇ୧୫. *Bactrocera trilineola* Drew
 ଇ୧୬. *Bactrocera trivialis* (Drew)
 ଇ୧୭. *Bactrocera tryoni* (Froggatt)
 ଇ୧୮. *Bactrocera tsuneonis* (Miyake)
 ଇ୧୯. *Bactrocera xanthodes* (Broun)
 ଇ୨୦. *Cacoecimorpha pronubana* Hübner
 ଇ୨୧. *Carpomya pardalina* Bigot
 ଇ୨୨. *Carposina sasakii* Matsumura
 ଇ୨୩. *Ceratitis capitata* (Wiedemann)
 ଇ୨୪. *Ceratitis cosyra* (Walker)
 ଇ୨୫. *Ceratitis rosa* Karsch
 ଇ୨୬. *Conotrachelus nenuphar* (Herbst)
 ଇ୨୭. *Cryptophlebia leucotreta* Meyrick
 ଇ୨୮. *Cydia pomonella* (Linnaeus)
 ଇ୨୯. *Dacus ciliatus* Loew
 ଇ୩୦. *Dacus demerezi* (Bezzi)
 ଇ୩୧. *Dacus frontalis* Becker
 ଇ୩୨. *Dacus solomonensis* Malloch
 ଇ୩୩. *Diatraea saccharalis* (Fabricius)
 ଇ୩୪. *Epichoristodes acerbella* (Walker)
 ଇ୩୫. *Epiphyas postvittana* (Walker)
 ଇ୩୬. *Erinnyis ello* (Linnaeus)
 ଇ୩୭. *Grapholita funebrana* Treitschke
 ଇ୩୮. *Grapholita molesta* (Busck)
 ଇ୩୯. *Grapholita packardi* Zeller

୩୯୬. *Grapholita prunivora* (Walsh)
 ୩୯୭. *Leptinotarsa decemlineata* (Say)
 ୩୯୮. *Leptopharsa heveae* Drake & Poor
 ୩୯୯. *Liriomyza bryoniae* (Kaltenbach)
 ୪୦୦. *Lissorhoptrus oryzophilus* Kuschel
 ୪୦୧. *Nemorimyza maculosa* (Malloch)
 ୪୦୨. *Opogona sacchari* (Bojer)
 ୪୦୩. *Oryctes boas* (Fabricius)
 ୪୦୪. *Oryctes monoceros* (Olivier)
 ୪୦୫. *Pantomorus cervinus* (Boheman)
 ୪୦୬. *Phenacoccus manihoti* Matile-Ferrero
 ୪୦୭. *Popillia japonica* Newman
 ୪୦୮. *Rhagoletis cerasi* (Linnaeus)
 ୪୦୯. *Rhagoletis cingulata* (Loew)
 ୪୧୦. *Rhagoletis completa* Cresson
 ୪୧୧. *Rhagoletis fausta* (Osten Sacken)
 ୪୧୨. *Rhagoletis indifferens* Curran
 ୪୧୩. *Rhagoletis mendax* Curran
 ୪୧୪. *Rhagoletis pomonella* (Walsh)
 ୪୧୫. *Rhynchophorus palmarum* (Linnaeus)
 ୪୧୬. *Sacadodes pyralis* Dyar
 ୪୧୭. *Scirtothrips aurantii* Faure
 ୪୧୮. *Scirtothrips citri* (Moulton)
 ୪୧୯. *Sesamia calamistis* Hampson
 ୪୨୦. *Toxotrypana curvicauda* Gerstaecker
 ୪୨୧. *Trioza erytrae* (Del Guercio)
 ୪୨୨. *Trirhithrum coffeae* Bezzi

୩ (Mite)

୪୨୩. *Aceria guerreronis* Keifer

- ๒๓๔. *Aculops lycopersici* (Masse)
- ๒๓๕. *Calepitrimerus vitis* (Nalepa)
- ๒๓๖. *Mononychellus tanajoa* (Bondar)
- ๒๓๗. *Oligonychus peruvianus* (McGregor)
- ๒๓๘. *Panonychus ulmi* (Koch)
- ๒๓๙. *Petrobia latens* (Müller)
- ๒๔๐. *Tetranychus pacificus* McGregor

ไส้เดือนฝอย (Nematode)

- ๒๔๑. *Anguina agrostis* (Steinbuch) Filipjev
- ๒๔๒. *Anguina graminis* (Hardy) Filipjev
- ๒๔๓. *Anguina tritici* (Steinbuch) Chitwood
- ๒๔๔. *Aphelenchoides arachidis* Bos
- ๒๔๕. *Aphelenchoides besseyi* Christie
- ๒๔๖. *Belonolaimus longicaudatus* Rau
- ๒๔๗. *Bursaphelenchus xylophilus* (Steiner & Buhrer) Nickle
- ๒๔๘. *Cactodera cacti* Filipjev & Schuurmans Stekhoven
- ๒๔๙. *Ditylenchus destructor* Thorne
- ๒๕๐. *Ditylenchus dipsaci* (Kuhn) Filipjev
- ๒๕๑. *Dolichodorus heterocephalus* Cobb
- ๒๕๒. *Globodera pallida* (Stone) Behrens
- ๒๕๓. *Globodera rostochiensis* (Wollenweber) Behrens
- ๒๕๔. *Heterodera avenae* Wollenweber
- ๒๕๕. *Heterodera glycines* Ichinohe
- ๒๕๖. *Heterodera graminis* Stynes
- ๒๕๗. *Heterodera oryzae* Luc & Berdon Brizuela
- ๒๕๘. *Heterodera oryzicola* Rao & Jayaprakash
- ๒๕๙. *Heterodera punctata* (Thorne) Mulvey & Stone
- ๓๐๐. *Heterodera schachtii* Schmidt
- ๓๐๑. *Heterodera sorghi* Jain, Sethi, Swarup & Srivastava

- ၈၀၂. *Heterodera trifolii* Goffart
- ၈၀၈. *Hirschmanniella miticausa* Bridge, Mortimer & Jackson
- ၈၀၉. *Hoplolaimus columbus* Sher
- ၈၀၉. *Hoplolaimus indicus* Sher
- ၈၀၆. *Longidorus sylphus* Thorne
- ၈၀၇. *Meloidogyne brevicauda* Loos
- ၈၀၈. *Meloidogyne camelliae* Golden
- ၈၀၉. *Meloidogyne chitwoodi* Golden, O'Bannon, Santo & Finley
- ၈၁၀. *Meloidogyne coffeicola* Lordello & Zamith
- ၈၁၁. *Meloidogyne graminis* (Sledge & Golden) Whitehead
- ၈၁၂. *Nacobbus aberrans* (Thorne) Thorne & Allen
- ၈၁၃. *Paratrichodorus porosus* (Allen) Siddiqi
- ၈၁၄. *Pratylenchus goodeyi* Sher & Allen
- ၈၁၅. *Pratylenchus loosi* Loof
- ၈၁၆. *Rhadinaphelenchus cocophilus* (Cobb) Goodey
- ၈၁၇. *Rotylenchulus macrodoratus* (Dasgupta, Raski & Sher)
- ၈၁၈. *Scutellonema bradys* (Steiner & Le Hew) Andrassy
- ၈၁၉. *Trichodorus viruliferus* Hooper
- ၈၂၀. *Xiphinema americanum* Cobb
- ၈၂၁. *Xiphinema diversicaudatum* (Micoletzky) Thorne

၁၁. ချွေ (Weed)

- ၈၂၂. *Ambrosia artemisiifolia* L.
- ၈၂၃. *Amaranthus albus* L.
- ၈၂၄. *Amaranthus blitoides* S. Wats.
- ၈၂၅. *Alopecurus myosuroides* Huds.
- ၈၂၆. *Asphodelus tenuifolius* Cav.
- ၈၂၇. *Avena fatua* L.
- ၈၂၈. *Capsella bursa-pastoris* (L.) Medik.
- ၈၂၉. *Chenopodium album* L.

- നൺ൦. *Conyza canadensis* (L.) Cronq.
- നൺ൧. *Cirsium arvense* (L.) Scop.
- നൺ൧൧. *Cirsium vulgare* Savi (Ten.)
- നൺ൧൨. *Cuscuta campestris* Yuncker
- നൺ൧൩. *Galium aparine* L.
- നൺ൧൪. *Heliotropium europaeum* L.
- നൺ൧൫. *Hibiscus trionum* L.
- നൺ൧൬. *Lolium temulentum* L.
- നൺ൧൭. *Orobanche aegyptiaca* Pers.
- നൺ൧൮. *Orobanche cernua* Loefl.
- നൺ൧൯. *Orobanche crenata* Forskal.
- നൺ൨൦. *Orobanche ramosa* L.
- നൺ൨൧. *Parthenium hysterophorus* L.
- നൺ൨൨. *Phalaris minor* Retz.
- നൺ൨൩. *Polygonum aviculare* L.
- നൺ൨൪. *Polygonum convolvulus* L.
- നൺ൨൫. *Raphanus raphanistrum* L.
- നൺ൨൬. *Rumex acetosella* L.
- നൺ൨൭. *Rumex obtusifolius* L.
- നൺ൨൮. *Salvinia molesta* Mitchell
- നൺ൨൯. *Senecio vulgaris* L.
- നൺ൩൦. *Setaria faberi* Herrm.
- നൺ൩൧. *Solanum carolinense* L.
- നൺ൩൨. *Solanum elaeagnifolium* Cavanilles
- നൺ൩൩. *Spergula arvensis* L.
- നൺ൩൪. *Stellaria media* (L.) Vill.
- നൺ൩൫. *Striga angustifolia* (Don) Saldanha
- നൺ൩൬. *Striga densiflora* (Benth.) Benth.
- നൺ൩൭. *Striga hermonthica* (Del.) Benth.
- നൺ൩൮. *Thlaspi arvense* L.

๓๖๐. *Vicia sativa* L.

ไม่ทราบสาเหตุ (Unknown Etiology)

๓๖๑. *Bristle top* (in coconut)

๓๖๒. *Citrus blight disease*

๓๖๓. *Citrus impietratura disease*

๓๖๔. *Cotton blue disease*

๓๖๕. *Dryout rot*

๓๖๖. *Head drop*

๓๖๗. *Little mottle*

๓๖๘. *Socorro wilt*

๓๖๙. *Tatipaka wilt*
